CATALOG DOCUMENTATION NATIONAL COASTAL ASSESSMENT- NORTHEAST DATABASE YEAR 2001 STATIONS FISH TRAWL DATA; "FTRAWL"

TABLE OF CONTENTS

- 1. DATASET IDENTIFICATION
- 2. INVESTIGATOR INFORMATION
- 3. DATASET ABSTRACT
- 4. OBJECTIVES AND INTRODUCTION
- 5. DATA ACQUISITION AND PROCESSING METHODS
- 6. DATA MANIPULATIONS
- 7. DATA DESCRIPTION
- 8. GEOGRAPHIC AND SPATIAL INFORMATION
- 9. QUALITY CONTROL AND QUALITY ASSURANCE
- 10. DATA ACCESS AND DISTRIBUTION
- 11. REFERENCES
- 12. TABLE OF ACRONYMS
- 13. PERSONNEL INFORMATION

1. DATASET IDENTIFICATION

- 1.1 Title of Catalog document
 National Coastal Assessment-Northeast Region Database
 Year 2001 Stations
 Fish Trawl Data by Station
- 1.2 Authors of the Catalog entry John Kiddon, U.S. EPA NHEERL-AED Harry Buffum, CSC Corp.
- 1.3 Catalog revision date December 29, 2002
- 1.4 Dataset name FTRAWL
- 1.5 Task Group
 National Coastal Assessment-Northeast
- 1.6 Data Set Identification Code
 009
- 1.7 Version 001
- $\hbox{1.8 Request for Acknowledgment} \\ \hbox{EMAP requests that all individuals who download EMAP data acknowledge the}$

source of these data in any reports, papers, or presentations. If you publish these data, please include a statement similar to: "Some or all of the data described in this article were produced by the U. S. Environmental Protection Agency through its Environmental Monitoring and Assessment Program (EMAP)".

- 2. INVESTIGATOR INFORMATION (for full addresses see Section 13)
 - 2.1 Principal Investigators
 Gerald Pesch, U.S. EPA NHEERL-AED
 Walter Galloway, U.S. EPA NHEERL-AED
 Donald Cobb, U.S. EPA NHEERL-AED
 - 2.2 Sample Collection Investigators Donald Cobb, U.S. EPA NHEERL-AED
 - 2.3 Sample Processing Investigators
 Not Applicable

3. DATASET ABSTRACT

3.1 Abstract of the Dataset

The FTRAWL data file contains the information regarding standard fish trawls conducted in 2001. The file specifies the type of standard trawl conducted; trawl speed and duration; latitude and longitude of beginning and end points of the trawl; and the number of fish species caught per trawl. One record is presented per station.

3.2 Keywords for the Data Set
Trawl speed and duration, species abundance per trawl

4. OBJECTIVES AND INTRODUCTION

4.1 Program Objective

The National Coastal Assessment (NCA) is a national monitoring and assessment program with the primary goal of providing a consistent evaluation of the estuarine condition in U.S. estuaries. It is an initiative of the Environmental Monitoring and Assessment Program (EMAP), and is a partnership of several federal and state environmental agencies, including: EPA's Regions, Office of Research and Development, and Office of Water; state environmental protection agencies in the 24 marine coastal states and Puerto Rico; and the United States Geological Survey (USGS) and the National Oceanic and Atmospheric Agency (NOAA). The five-year NCA program was initiated in 2000, and is also known as the Coastal 2000 Program.

Stations were randomly selected using EMAP's probabilistic sampling framework and were sampled once during a summer index period (June to

October). A consistent suite of indicators was used to measure conditions in the water, sediment, and in benthic and fish communities. The measured data may be used by the states to meet their reporting requirements under the Clean Water Act, Section 305(b). The data will also be used to generate a series of national reports characterizing the condition of the Nation's estuaries.

4.2 Data Set Objective

The objective of the FTRAWL data file is to report key parameters and the number of fish species caught per trawl during standard fish trawls conducted in 2001.

4.3 Background Discussion

A two-year sampling design was employed for 2000-2001 NCA program in the Northeast. Analysts may therefore wish to consider the two years of data together.

The following Table indicates the number of fish trawls conducted in 2000 and 2001 by the state cooperatives (ST_COOP) in the northeastern states.

Count of STATION	YEAR		
ST_COOP	2000	2001	Grand Total
ME			
NH	23	23	4 6
MA-FSH	28		28
RI	2		2
RI-FSH	10		10
CT	9		9
CT-FSH	19	12	31
NY	12	29	41
NJ-C	30	38	68
NJ-DB	35	35	70
DE	14	13	27
Total	182	150	332

The information collected in the fish surveys are reported in five data files. FTRAWL presents information regarding fish trawls and abundance of unique species per standard trawl. FISH_CNT contains the number of fish per species per standard trawl. FISH_LEN specifies fork length of individual fish and the frequency and location of pathologies observed in a ship-board inspection. CRAB_LOB presents abundance and size data for crustaceans caught in standard trawls. TISSCHEM reports the concentrations of about 75 chemical analytes measured in composites samples of fish, lobsters or crabs collected at a station. The lookup table FISH_TAX lists the common and scientific names of all fish identified in standard trawls.

The information reported in this file pertains to trawls conducted to characterize community structure (identification and abundance of fish species). If the standard trawl did not provide a sufficient number of fish for chemical analyses, additional nonstandard trawls were conducted. This file contains information about the standard files only.

The speed and duration of the fish trawls were not uniform in surveys conducted by different state organizations (see Section 5.1.12). Therefor fish community measures cannot be easily compared across all states.

If a standard length trawl could not be completed due to sea conditions or gear failure, the parameter FTRLFLAG is set to "unsuccessful". A blank FTRLFLAG indicates a successfully completed trawl.

NCA planners provide two alternate locations for a station location in the event that the original location cannot be sampled. The parameter STA_ALT indicates whether the station location was the original site, first alternate, or second alternate—STA_ALT = "A", "B", or "C", respectively. Also refer to discussion in the STATIONS metadata file regarding use of this parameter during analysis of the data.

4.4 Summary of Data Set Parameters

* denotes parameters that should be used as key fields when merging data files *STATION Station identifier

```
*STAT ALT Station location (A, B or C)
*EVNTDATE Date of sampling event
FTRLTYPE Standard trawl type
               NCA EMAP standard trawl
               CT Connecticut fish survey trawl
                    New Hampshire modified standard
FTRLFLAG Flag indicating unsuccessful trawl
FSPECCNT Total fish species in trawl (#)
FT DUR
          Duration of fish trawl (mmss)
FWTR_SPD Trawl speed through water (knots)
BEG_LAT Fish trawl beginning latitude (dec. deg)
BEG_LNG Fish trawl beginning longitude (dec. deg)
END LAT
           Fish trawl end latitude (dec. deg)
          Fish trawl end longitude (dec. deg)
END LNG
```

5. DATA ACQUISITION AND PROCESSING METHODS

5.1 Data Acquisition / Field Sampling

The sample collection methods used by USEPA trained field crews will be described here. NCA Standard trawls are idendified by TRWLTYPE=NCA. Any significant variations by other NCA partners are noted in Section 5.1.12.

5.1.1 Sampling Objective

To collect a representative sample of fish at a station using a standard trawl. Additional nonstandard trawls were conducted when necessary to collect enough fish for chemical analyses.

5.1.2 Sample Collection and Ship-Board Processing: Methods Summary The EPA standard fish trawl was conducted using a funnel-shaped net that filters fish from the near bottom waters. Fish were herded into the net by ground wire and an overhanging panel. Standard trawls were 10 \pm 2 minutes in duration with a towing speed of 2-3 knots through the water

against the prevailing current (1-3 knots relative to the bottom). An auxiliary, nonstandard trawl was performed to collect fish for tissue chemistry samples if an insufficient quantity were obtained in the standard trawl. Fish from the auxiliary trawls were used for chemical analyses only, and were not included in the standardized survey counts used to characterize the fish community structure.

All fish caught in a standard trawl were counted on board ship and immediately identified using the scientific and common names listed in the FISH_TAX file. Fork lengths (carapace widths for crabs and lobster) in mm were measured on approximately the first 30 individuals of each species found at a station. A visual inspection for obvious signs of pathology was conducted on all fish measured for length. A subset of fish, crabs, or lobster were randomly chosen for chemical analysis. These test organisms were tagged and frozen individually, then combined into groups of 2-10 organisms of same species for later processing as composite samples. Each group was assigned a composite ID (SAMPLEID) and sent to the analytical lab for chemical analysis.

- 5.1.3 Beginning Sampling Date
 12 July 2001
- 5.1.4 Ending Sampling Date 29 October 2001
- 5.1.5 Sampling Platform All program partners collected samples from various gasoline or diesel powered boats, 25 to 27 feet in length.
- 5.1.6 Sampling Equipment
 The trawl net consisted of a funnel-shaped high-rise sampling trawl. The net includes a 16 meter tow line, a chain sweep, 5 cm mesh wings, and a 2.5 cm cod end.
- 5.1.7 Manufacturer of Sampling Equipment Not applicable
- 5.1.8 Key Variables
 Not applicable
- 5.1.9 Sample Collection: Calibration

 The sampling gear does not require calibration.
- 5.1.10 Sample Collection: Quality Control A trawl was considered void if one or more of the following conditions occurred:
 - 1. Trawl could not be completed because of boat malfunction, vessel traffic, or major disruption of gear
 - 2. Boat speed exceeded the prescribed range
 - 3. The cod-end became untied
 - 4. The net was filled with mud or debris

- 5. A portion of the catch was lost prior to processing
- 6. The tow lines became separated
- 7. The net was torn in a way that significantly altered net efficiency

If a successful trawl could not be performed within $1\frac{1}{2}$ hours, the site was considered unsampleable. Quality assurance audits were performed to verify the identification and measurement techniques of the field crew.

- 5.1.11 Sample Collection: References Strobel, C.J. 2000. Coastal 2000-Northeast Component: Field Operations Manual U. S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division, Narragansett, RI. EPA/620/R-00/002.
- 5.1.12 Sample Collection: Alternate Methods

Trawl records with the following Trawl Codes did not follow NCA standards.

TRLTYPE	Name Desc	cription
CT	Connecticut Fish Survey Trawl	30 minutes standard
RI	Rhode Island Fish Survey Trawl	20 minutes standard
MA	MA Fish Survey Trawl (2000 only)	20 minutes standard
NH	New Hampshire modified Standard	4 minutes standard

- 5.2 Data Preparation and Sample Processing All parameters reported in this file were measured aboard ship immediately following the trawl (see Section 5.1).
 - 5.2.1 Sample Processing Objective Not applicable
 - 5.2.2 Sample Processing: Methods Summary Not applicable
 - 5.2.3 Sample Processing: Calibration
 Not applicable
 - 5.2.4 Sample Processing: Quality Control
 Not applicable
 - 5.2.5 Sample Processing: References
 Not applicable
 - 5.2.6 Sample Processing: Alternate Methods Not applicable
- 6. DATA ANALYSIS AND MANIPULATIONS
 - 6.1 Name of New or Modified Values Not applicable

6.2 Data Manipulation Description Not applicable

7. DATA DESCRIPTION

7.1 Description of Parameters

7.1.1 Components of the Data Set

NAME	TYPE	LENGTH	LABEL
STATION	Char	9	Station Identifier
STAT_ALT	Char	1	Station Location (A, B or C)
EVNTDATE	Num	8	Event Date
FTRLTYPE	Char	7	Fish Trawl Type
FTRLFLAG	Char	20	Flag indicating unsuccessful trawl
FSPECCNT	Num	4	Total Fish Species in Trawl (#)
FT_DUR	Num	10	Duration of Fish Trawl (mmss)
FWTR_SPD	Num	4	Trawl Speed through Water (knots)
BEG_LAT	Num	8	Fish Trawl Beginning Latitude (dd)
BEG_LNG	Num	8	Fish Trawl Beginning Longitude (dd)
END_LAT	Num	8	Fish Trawl End Latitude (dd)
END_LNG	Num	8	Fish Trawl End Longitude (dd)

7.1.2 Precision of Reported Values As displayed in Section 7.1.3 and 7.1.4.

7.1.3 Minimum Value in Data set

Variable	Minimum	
	Value	
EVNTDATE	7/12/01	
FSPECCNT	0	
FWTR_SPD	0.8	
BEG_LAT	37.8683	
BEG_LNG	-79.9675	
END_LAT	37.9317	
END_LNG	-79.9715	

7.1.4 Maximum Value in Data set

Variable	Maximum Value
EVNTDATE	10/20/00
FSPECCNT	13
FWTR_SPD	3.7
BEG LAT	43.1956

BEG_LNG	-70.7200
END_LAT	43.1978
END LNG	-70.7203

7.2 Data Record Example

STATION	STAT_ALT	EVNTDATE	FTRLTYPE	FTRLFLAG	FSPECCNT
DE01-0002	A	9/18/01	EPA		2
DE01-0004	A	9/18/01	EPA	UNSUCCESSFUL	•
DE01-0006	A	9/17/01	EPA		4
DE01-0008	A	9/17/01	EPA		1
DE01-0010	А	9/19/01	EPA		1

FT_DUR	FWTR_SPD	BEG_LAT	BEG_LNG	END_LAT	END_LNG
10:54	1.9	38.4740	-75.0708	38.4735	-75.0676
12:07	1.7	38.4856	-75.0692		•
10:25		38.5576	-75.7008	38.5587	-75.6973
13:06	2.2	38.5661	-75.6314	38.5653	-75.6314
11:20	1.9	38.5683	-75.1839	38.5717	-75.1823

8. GEOGRAPHIC AND SPATIAL INFORMATION

- 8.1 Minimum Longitude (Westernmost) -75.7737 decimal degrees
- 8.2 Maximum Longitude (Easternmost) -67.0939 decimal degrees
- 8.3 Minimum Latitude (Southernmost)
 38.4521 decimal degrees
- 8.4 Maximum Latitude (Northernmost) 44.9456 decimal degrees
- 8.5 Name of area or region

 The National Coastal Assessment Northeast Region covers the northeastern US coastline from Maine to Delaware
- 9. QUALITY CONTROL AND QUALITY ASSURANCE
 - 9.1 Measurement Quality Objectives
 - 9.2 Data Quality Assurance Procedures Inspection of the sampling gear for tears or improper assemblage is done at the beginning of every trawl event.

10. DATA ACCESS

- 10.1 Data Access Procedures
 Data can be downloaded from the web
 http://www.epa.gov/emap/nca/html/regions/index.html
- 10.2 Data Access Restrictions
- 10.3 Data Access Contact Persons
 John Kiddon, U.S. EPA NHEERL-AED, Narragansett, RI
 401-782-3034, 401-782-3030 (FAX), kiddon.john@epa.gov

Harry Buffum, Data Manager, CSC, Narragansett, RI 401-782-3183, 401-782-3030 (FAX), buffum.harry@epa.gov

- 10.4 Dataset Format
 ASCII (CSV) and SAS Export files
- 10.5 Information Concerning Anonymous FTP
 Not available
- 10.6 Information Concerning WWW
 No gopher access, see Section 10.1 for WWW access
- 10.7 EMAP CD-ROM Containing the Dataset
 Data not available on CD-ROM

11. REFERENCES

Strobel, C.J. 2000. Environmental Monitoring and Assessment Program: Coastal 2000 - Northeast component: field operations manual. Narragansett (RI): U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division. EPA/620/R-00/002.~68~p.

- U.S. EPA. 2001. National Coastal Assessment: Field Operations Manual. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/003. 72 p.
- U.S. EPA. 2001. Environmental Monitoring and Assessment Program (EMAP): National Coastal Assessment Quality Assurance Project Plan 2001-2004. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL. EPA/620/R-01/002. 189 p.
- 12. TABLE OF ACRONYMS

AED Atlantic Ecology Division

DE Delaware

CSC Computer Sciences Corporation

CT Connecticut

EMAP Environmental Monitoring and Assessment Program

EPA Environmental Protection Agency

MA Massachusetts

ME Maine

mm Millimeter

NCA National Coastal Assessment

NH New Hampshire

NHEERL National Health and Environmental Effects Research Laboratory

NJ New Jersey
NY New York
NYC New York City
PA Pennsylvania

QA/QC Quality Assurance/Quality Control

RI Rhode Island

UNH University of New Hampshire

WWW World Wide Web

13. PERSONNEL INFORMATION

Sandra Benyi, Research Biologist
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3041, 401-782-3030 (FAX), benyi.sandra@epa.gov

Harry Buffum, Database Manager, Computer Sciences Corporation. U.S. Environmental Protection Agency, NHEERL-AED 27 Tarzwell Drive, Narragansett, RI 02882-1197 401-782-3183, 401-782-3030 (FAX), buffum.harry@epa.gov

Don Cobb, Chemist

U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-9616, 401-782-3030 (FAX), cobb.donald@epa.gov

Walter Galloway, NCA Project Officer
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3096, 401-782-3030 (FAX), galloway.walt@epa.gov

Steve Hale, EMAP Information Manager
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3048, 401-782-3030 (FAX), hale.stephen@epa.gov

Melissa Hughes, Data Librarian, Computer Sciences Corporation. U.S. Environmental Protection Agency, NHEERL-AED 27 Tarzwell Drive, Narragansett, RI 02882-1197 401-782-3184, 401-782-3030 (FAX), hughes.melissa@epa.gov

John Kiddon, AED Oceanographer
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3044, 401-782-3030 (FAX), kiddon.john@epa.gov

Joe LiVolsi, AED QA Officer
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3163, 401-782-3030 (FAX), livolsi.joseph@epa.gov

Gerald Pesch, Director Northeast NCA and Project Officer U.S. Environmental Protection Agency, NHEERL-AED 27 Tarzwell Drive, Narragansett, RI 02882-1197 401-782-3007, 401-782-3030 (FAX), pesch.gerald@epa.gov

Charlie Strobel, AED Analyst
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3180, 401-782-3030 (FAX), strobel.charles@epa.gov

Hal Walker, AED Analyst
U.S. Environmental Protection Agency, NHEERL-AED
27 Tarzwell Drive, Narragansett, RI 02882-1197
401-782-3134, 401-782-3030 (FAX), walker.henry@epa.gov